

## **Trademark Office**

COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

SERIAL NUMBER	FILING DATE	FIRST NAMED APPLICANT		ATTORNEY DOCKET NO.	
08/399,53	5 03/07/	95 JANZEN		E	594V.42-CIP/

Г

QM32/0923

LERNER, DAVID, LITTENBERT, KRUMHOLZ AND MENTLIK 600 SOUTH AVE., WEST WESTFIELD NJ 07090

	***
EXA	MINER
JACKSO	N, G
ART UNIT	PAPER NUMBER
3731	#14
DATE MAILED:	

09/23/99

Please find below a communication from the EXAMINER in charge of this application.

Commissioner of Patents.

SEE ATTACHED OFFICE ACTION.

PRIMARY EXAMINER **GROUP 3300** 

Art Unit: 3731

## **DETAILED ACTION**

## Response to Amendment

- 1. The reply filed on June 24, 1999 is not fully responsive to the prior Office action because of the following omission(s) or matter(s): The examiner rejected claims 95-102 in an Office Action mailed February 8, 1999. Independent claims 95 and claims 96-101 which depend therefrom were addressed, however, independent claim 102 has not been addressed.

  See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment.

  EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).
- 2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary Jackson whose telephone number is (703) 308-4302. The examiner can normally be reached on Monday-Thursday from 7:30 am to 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Buiz, can be reached on (703) 308-0871. The fax phone number for the organization where this application or proceeding is assigned is (703) 308-2708.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0858.

Gary Jackson September 16, 1999

> GARY JACKSON RIMÁRY EXAMINER GROUP 2200